



Industrial LCD Monitor - with Aluminum Front Bezel

AB170

- 17.0" SXGA TFT LCD with resolution up to 1280 x 1024.
- Suitable for military, tablet, ruggedized PC, kiosk, advertising, POS, marine, transportation, gaming, gas pump.
- Front Bezel IP65 (with glass or touch)
- Construction Front Panel :
High quality aluminum bezel (anodic treatment)



Specifications:

Model Name	AB170ND	AB170N2	AB170S2 	AB170H2 
Display Type	17.0" TFT-LCD			
Panel				
- Display Color	16.7M colors			
- Brightness	250nits	350nits	1000nits	1500nits
- Resolution	SXGA(1280 x 1024)	SXGA(1280 x 1024)	SXGA(1280 x 1024)	SXGA(1280 x 1024)
- Contrast Ratio	1000 : 1	1000 : 1	1000 : 1	1000 : 1
- Backlight Unit	LED	LED	LED	LED
- Viewing Angle(R/L/U/D)	85/85/80/80	85/85/80/80	85/85/80/80	85/85/80/80
- Response Time(Tr+Tf)	5ms	5ms	5ms	5ms
- Temperatur Operatione:				
-Standard Temp	0°C~+50°C	0°C~+50°C	0°C~+50°C	0°C~+50°C
-Wide Temp	Contact with Sales			
Optional	Touch, Glass			

Note: Fanless: Brightness < 1000 nits;
Add fan: Brightness ≥ 1000 nits.

Order Information:

AB170XX - X X X X

① ② ③ ④ ⑤

① Model Name	② Touch Screen (Optional)	③ Signal Input	④ Front Panel Color	⑤ Other
	N: No touch screen or glass G: Glass (AR coating) R: 5-Wires Resistive, RS232 U: 5-Wires Resistive, USB A: 3M Microtouch capacitive, RS232. B: 3M Microtouch capacitive, USB.	C: VGA Only D: VGA + DVI-D E: VGA + DVI-D+Audio J: VGA + DVI-I + Audio HDMI	B: Black S: Silver	N: N/A P: Panel mount kits.

Dimensions:

Unit:mm

