


Metal Frame LCD Monitor

MA190

- 19.0" SXGA TFT LCD with resolution up to 1280x1024.
- Suitable for military, tablet, ruggedized PC, kiosk, advertising, POS, marine, transportation, gaming, gas pump.



Specifications:

| Model Name | MA190S1  | MA190N2 | MA190N4 | MA190N7 |
|--------------------------|---|-------------------|------------------|-------------------|
| Display Type | 19.0" TFT-LCD | | | |
| Panel | | | | |
| - Display Color | 16.7M colors | | | |
| - Brightness | 1000nits | 350nits | 600nits | 250nits |
| - Resolution | SXGA(1280 x 1024) | SXGA(1280 x 1024) | SXGA(1280 x 768) | SXGA(1280 x 1024) |
| - Contrast Ratio | 1000 : 1 | 1000 : 1 | 2000 : 1 | 1000 : 1 |
| - Backlight Unit | LED | | | |
| - Viewing Angle(R/L/U/D) | 85/85/80/80 | 85/85/80/80 | 89/89/89/89 | 85/85/80/80 |
| - Response Time(Tr+Tf) | 5ms | 5ms | 20ms | 5ms |
| Environmental | | | | |
| - Temperature | | | | |
| Operation | 0°C~+50°C | 0°C~+50°C | 0°C~+50°C | 0°C~+50°C |
| Storage | -20°C~+60°C | -20°C~+60°C | -20°C~+60°C | -20°C~+60°C |
| Optional | Touch, Glass | | | |

Note: Fanless: Brightness < 1000 nits;
Add fan: Brightness ≥ 1000 nits.

Order Information:


MA190XX - X X X X

① ② ③ ④ ⑤


| | | | |
|---|--|----------------------------|---|
| ① Model Name | | | |
| ② Touch Screen (Optional) N: No touch screen or glass G: Glass R: Resistive, RS232 U: Resistive, USB | ③ Signal Input C: VGA Only D: VGA + DVI-D E: VGA + DVI-D+Audio J: VGA + DVI-I+Audio + HDMI | ④ Color B: Black | ⑤ Other N: N/A R: Bracket (rear mount) S: Stand |

Dimensions:

Unit:mm




[Bracket]



Dimensions:

Unit:mm

[Stand]



Note: this is a simplified drawing and some components are not made in detail.
Please contact our sales representative if you need further product's information.